


ReelCharge

100 W GaN Pro Wall Charger with Smart Display

RC-CH100TFT-1G



User Manual

Thank you for choosing ReelCharge. Read this manual carefully before using your product to ensure safe use and optimal performance. Keep this guide for future reference.

Product Specifications

Product name

100 W GaN Pro Wall Charger with Smart Display

Model

RC-CH100TFT-1G

Input

100-240 V AC · 50/60 Hz · 1.5 A max

USB-C output

5 V = 3 A / 9 V = 3 A / 12 V = 3 A / 15 V = 3 A / 20 V
= 5 A (Up to 100 W max)

Product Specifications

USB-A output

5 V = 3 A / 9 V = 3 A / 12 V = 3 A / 15 V = 3 A / 20 V
= 3.25 A (Up to 65 W max)

Dual-port output

C1 + C2: 60 W + 30 W

Triple-port output

C1 + C2 + A1: 65 W + 7.5 W + 7.5 W

Maximum total power

100 W

Display

Multi-screen smart TFT display


What's in the Box

- 100 W GaN Pro Wall Charger with Smart Display
- User Manual

Product Overview

- Output ports: 2 × USB-C and 1 × USB-A
- Multi-screen smart TFT display
- Intelligent power distribution
- Function button
- Foldable wall prongs
- GaN fast-charging technology
- Compact travel-ready design

Product Overview



Product Overview

1. Multi-screen smart TFT display
2. Function button
3. USB-C port
4. USB-C port
5. USB-C port
6. USB-A port
7. Foldable wall prongs

Operation

1. Unfold the wall prongs.
2. Plug the charger into a wall outlet.
3. Connect your device(s) using cable(s).
4. Charging starts automatically when devices are connected.

Smart Display Features

The TFT display provides real-time information:

- Total output voltage
- Individual port output (C1/C2/A1)
- Real-time power distribution indicator
- Charging animation
- Temperature display
- Full-charge notifications
- Multi-screen display modes

Display Controls

- Single press: Turn the display on or off.
- Long press: Rotate the screen.
- Double press: Change the display mode.
- Triple press: Change the language.

Charging Your Devices

You can charge several devices simultaneously.

1. Connect the USB cable(s) to the charger.
2. Connect devices to the USB-C or USB-A ports.
3. Charging starts automatically when devices are connected.
4. The screen displays output information in real time.
5. Power is automatically distributed among connected devices.

Safety Information

- Use only with compatible devices.
- Do not expose to liquids or moisture.
- Avoid extreme heat and direct sunlight.
- Do not disassemble the product.
- Do not use if the product is damaged.
- Keep out of reach of children.

Storage and Care

- Store in a cool, dry place.
- Clean with a soft, dry cloth.
- Avoid dropping or exposing to heavy impacts.

Warranty

This product includes a limited 3-year warranty from the date of purchase.

The warranty covers manufacturing defects under normal use. Damage caused by misuse, accidents or unauthorized modifications is not covered.

Proof of purchase may be required. For further details, visit www.reelcharge.com.

Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

California Proposition 65 Warning

WARNING: This product can expose you to chemicals, including lead, known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information: www.P65Warnings.ca.gov

Visit www.reelcharge.com for more information.